

ATC Jaro 2018

ATC, Michal Gebauer, Product Manager

www.atcomp.cz



ATComputers



CISCO v ATComputers

- BusinessLink
 - Aktuální ceny včetně PROMO akcí
- Mailing
 - Produktové novinky
 - Promo akce výrobce
 - Mimořádné akce pro partnery
 - Soutěže
- cisco@atcomp.cz
 - Dostupnost
 - Cenové nabídky
 - Projektová řešení
- ciscosupport@atcomp.cz
 - Technická podpora
 - Pod hlavičkou ATC
 - S poradenstvím výrobce/ externích firem

Kde naleznete
potřebné
informace



ATComputers

CISCO v ATComputers

> [Atcomp.cz/cisco](http://atcomp.cz/cisco)

- > Kontakty
- > Tvorba cen a proma
- > Partnerský program
- > Marketingové akce
- > SmartNet service
- > Produktové řady:
 - > SmallBusiness
 - > Enterprise networking
 - > Meraki
 - > Collaboration

Microsite ATC,
průvodce značkou
cisco v češtině, se
zajímavými
odkazy



ATComputers

CISCO v ATComputers


- Dle časového období
 - Roční
 - Akce 2+1 k servisům
 - Kvartální
 - Fast track
 - Golden Offer
 - Měsíční
 - MissionToTransform
 - Dealová podpora
- Dle Oblasti
 - Evropa
 - ČR
 - Mobility promo
 - Dealová podpora

Cenová politika
výrobce –
kombinace
PROMO akcí



ATComputers

CISCO v ATComputers



Cenová politika
výrobce





ATComputers

CISCO v ATComputers

- Ceny vždy s PROMEM
 - Info na microsite
 - Proklikem z výrobku

Název	Platná od	Platná do
Cisco Fast Track promo	1.11.2017	25.1.2018

aktivní > Síťové přepínače > CISCO SB > Cisco SG200-50P, 50xGig, Poe, Smart, SLM2048PT-EU

Název	Dostupnost	Záruka	Info	Cena	Cena (+p)	EU	Kontakt
50xGig, Poe, Smart, SLM2048PT-EU	ok	doživotní	 	11 709,00	11 710,50	14 923,00	Gebauer



ATComputers

Ceny v
ATComputers
vždy s PROMEM

CISCO v ATComputers

Vyhledat partnera společnosti Cisco

POBOČKA (Až 8 voleb) Obnovit hledání

- SELECT
 - OIP program
 - Zpětný odkup
 - Certifikace

- Info u obchodníka
- Na cisco lokátoru

A COMFOR STORES, a.s.

Brno, 602 00 CZECH REPUBLIC

[Navštívit partnerskou internetovou stránku](#)

[Další informace](#) [Volat](#)

Strana 1/1 Počet výsledků na stranu:

Nenašli jste, co jste hledali? [Kontaktujte společnost Cisco](#)

Ceny v ATComputers dle partnerské registrace



ATComputers

CISCO v ATComputers

- OD 3000 USD
 - Položky které nejsou v PROMO akci
- Od 5000 USD
 - Položky které jsou v PROMO akci
- DO 10 000 USD
 - Výhoda SELECT partnerů
 - Automatické použití OIP programu

- Žádost o deal:
 - cisco@atcomp.cz
- Ceny:
 - Garantujeme v USD (případně fixace kurzu)

Cenová politika
výrobce – Dealy

Tyto informace naleznete na atcomp.cz/cisco



ATComputers

CISCO v ATComputers

- PARTNER
 - Status Registrovaného partnera
 - Jméno
 - Příjmení
 - Tel.
 - Email
 - Předpokládány termín realizace
- Koncový zákazník
 - Jméno Firmy
 - Jméno
 - Příjmení
 - Tel.
 - Email
 - www
 - Název projektu

Tyto informace naleznete na atcomp.cz/cisco

Cenová politika
výrobce – Dealy



ATComputers

Získáte-li své zákazníky pro Cisco řešení, zvýší se vaše výnosy o 1 % provize

Víme, že finance představují klíčový faktor, který má přímý dopad na schopnost zákazníka správně investovat ve správném časovém horizontu. Umožňujeme vám proto nabízet program easylease 0% financíng, který poskytujeme ve spolupráci s našim lokálním finančním partnerem. Zahnutí programu do zákaznických nabídek vám umožní:



odlišit nabídku od konkurence



zvýšit velikost obchodní transakce



zachovat vyšší slevy i marže



zlepšit a upevnit vztahy se zákazníky



uzavřít rychleji více obchodů



získat 1 % provize

Program easylease 0% financíng

Podmínky programu

Doba financování	36 měsíců
Minimální výše řešení	500 000 Kč
Maximální výše řešení	6 750 000 Kč
Minimální podíl zařízení Cisco	70 % celkové kupní ceny (včetně hardwaru, softwaru a služeb). Podíl hardwaru musí představovat 10 % kupní ceny produktů Cisco.
Konec platnosti nabídky	27. července 2018
1% provize pro partnery	Z čisté financované částky vám poskytneme 1% provize. Nabídka podléhá slevovým podmínkám. Žádost o provizi najdete na adrese www.cisco.com/go/ppe . Vyberte kartu "Eligible Programs". Vyhledejte program "EMEA EASYLEASE PARTNER INCENTIVE PROGRAM" a zaregistrujte se.
Podmínky	Na konci leasingového období si zákazník může vybavení zakoupit za minimální poplatek, a to dle místních podmínek. Financování podléhá schválení lokálního finančního partnera a řídí se jeho obchodními podmínkami. Společnost Cisco si vyhrazuje právo tuto nabídku kdykoli zrušit nebo změnit.

Výpočet měsíčních splátek zákazníka

Celkové náklady na zákaznické řešení stačí vydělit 36 měsíci.

Celkové náklady na řešení:	1 000 000 Kč
Doba leasingu:	36 měsíců
Měsíční platba =	$\frac{1\,000\,000\text{ Kč}}{36\text{ měsíců}}$ (celkové náklady na řešení)
Výše měsíční platby zákazníka tak činí	27 777,78 Kč

Výpočet vaší provize

Celkové náklady na řešení × 0.01	
1 000 000 Kč × 0.01	
Provize tedy činí	10 000 Kč

Poskytneme vám veškeré informace pro efektivnější prodej:

- Specializovaný tým **easylease** vám pomůže porozumět procesu financování a poradí, jak easylease začlenit do vaší nabídky.
- Obchodní a marketingové oddělení vám pomůže prodat a uzavřít easylease 0% financování s vašimi zákazníky.



Cisco finance

ATComputers

CISCO SMALL BUSINESS

www.atcomp.cz


ATComputers



Distribution
Partner

CISCO SmallBusiness WIFI

WIFI Portfolio



CISCO SmallBusiness WIFI

- Dual-radio wireless **AC Wave 2** connectivity
- 2800-Mbps (data rate, not actual throughput) Wi-Fi – 4x4 11ac + 3x3 11n
- MU-MIMO
- Up to **128 clients per WAP581**
- **Single Point Setup, controllerless management**
- Up to **16 WAP581s per cluster**
- Works with FindIT Network Management
- **2.5 Gigabit Ethernet (GE) + 1 GE port with static LAG**
- RF Spectrum Analysis tool
- Next Gen User Interface
- Guest access with captive portal
- Power provided via PoE or external AC power
- Wall and ceiling form factor, mounting hardware included
- Limited lifetime warranty

WAP 581

Wave 2
11ac



List
\$630




ATComputers

CISCO SmallBusiness WIFI

Model	List Price	Technology	Target	Use Case
WAP121	\$151	802.11n	SOHO10x10	Carpeted office, retail, office
WAP131	\$222	802.11n	SOHO	Carpeted office, retail, office
WAP150	\$262	802.11ac Wave 1	SOHO	Carpeted office, retail, office
WAP125	\$180	802.11ac Wave 1	SOHO	Carpeted office, retail, office
WAP361	\$396	802.11ac Wave 1	Small to medium office, 20x20	Integrated switch Remote desk, conf. room
WAP561	\$492	802.11ac Wave 1	Medium to large office, 30x30	Warehouse, retail, logistics, conf. room
WAP371	\$399	802.11ac Wave 1	SOHO, medium, large	Office, warehouse, retail, logistics, conf. room
WAP571	\$532	802.11ac Wave 1	Medium to large office, 30x30	Warehouse, retail, logistics, conf. room
WAP571E	\$635	802.11ac Wave 1	External/outdoor	Retail, parking, school, pool, recreation center
WAP581	\$630	802.11ac Wave 2	Medium to large office, 30x30	Warehouse, retail, logistics, conf. room



CISCO SmallBusiness Routers



Routery Portfolio



ATComputers

CISCO SmallBusiness Routers

- New-generation small-office VPN router with firewall and security
 - 4 or 16 LAN ports (RV340/RV345)
 - PoE version (RV345P)
 - **Wireless version (RV340W)**
 - Cisco AnyConnect® Secure Mobility Client support
 - Cisco dynamic web security
 - Application visibility and policies
 - 900-Mbps throughput (TCP), 600-Mbps throughput (IP Sec)

RV 34x Series



Wave 2
11ac

NEW



ATComputers

CISCO SmallBusiness Routers

Model	Target	Use Case
RV110W	SOHO	Retail, home office
RV130	Small to medium-sized office	Retail, small office
RV130W	Small to medium-sized office	Office, retail
RV132W	SOHO	Retail, home office
RV134W	Small to medium-sized office	Office, retail
RV215W	SOHO	Retail, home office
RV042G	Medium-sized to large office	Office, retail
RV320/RV325	Medium-sized to large office	Office, retail
RV340/RV345/RV345P/ RV340W	Medium-sized to large office	Office, retail

Routery zacílení



ATComputers

CISCO SmallBusiness Switching

Sophistication

Meraki® cloud managed

Drivers: Simplicity, ease of use

Business class

Drivers: Simplicity, price

- Reliable
- Easy to use - multiple management options
- Competitive features
- Affordable price with support and software

Small Business Support + Cisco Smart Net Total Care® Service

Enterprise class

Drivers: Sophistication, scalability

- Best in class innovation
- Customizable configuration
- Broad range of services
- Comprehensive security

Cisco Smart Net Total Care® Service

Switching Portfolio

Investment



ATComputers

CISCO SmallBusiness Switching

EOS 200,300,500


Group 1 EoL
Announcement
Aug. 2017



Group 2/3 EoL
Announcement
Oct/Nov. 2017



Group 4 EoL
Announcement
Mar. 2018



Group 2/3 EoS
Apr/May. 2018


Group 1/4 EoS
Aug/Sept. 2018



ATComputers

CISCO SmallBusiness Switching

Převodní tabulka



CISCO SmallBusiness Switching

250 Smart series

All the features
on the current 200 Series
Switches

IPv4/IPv6 static
routing

Command-line
interface



Access control list

USB port for easy file
management

Simplified GUI

Smart Network
Application

PoE+
(30W per port)

60W PD-powered and
PoE pass-through
(select models)

ATComputers

Fast Ethernet

NEW



SF250-24

- 24 10/100 ports
- 2 Gigabit combo + 2 SFP

NEW



SF250-24P

- 24 10/100 PoE+ ports
- 2 Gigabit combo + 2 SFP



SF250-48

- 48 10/100 ports
- 2 Gigabit combo + 2 SFP



SF250-48HP

- 48 10/100 PoE+ ports
- 2 Gigabit combo + 2 SFP

Gigabit Ethernet

NEW



SG250-08/08HP/10P

- 8 Gigabit ports/PoE+ ports
- 2 Gigabit combo ports | PoE PD

NEW



SG250-18

- 16 Gigabit ports
- 2 Gigabit combo ports



SG250-26/26HP/26P

- 24 Gigabit ports/PoE+ ports
- 2 Gigabit combo ports

NEW



SG250-50/50HP/50P

- 48 Gigabit ports/PoE+ ports
- 2 Gigabit combo ports



Gigabit Ethernet with 10 GE uplinks



SG250X-24
○ 24 Gigabit ports
2 10GBASE-T + 2 SFP+



SG250X-24P
○ 24 Gigabit PoE+ ports
2 10GBASE-T + 2 SFP+




SG250X-48
○ 48 Gigabit ports
2 10GBASE-T + 2 SFP+



SG250X-48P
○ 48 Gigabit PoE+ ports
2 10GBASE-T + 2 SFP+

CISCO SmallBusiness Switching















350/350X



Cisco 350 Series Smart Switches

Model overview

Fast Ethernet

 	SF350-08 8 10/100 PD Port	 	SF350-24 24 10/100, PoE+ ports 2 Gigabit combo + 2 SFP
 	SF352-08 8 10/100 2 Gigabit combo PD Port	 	SF350-24P/24MP 24 10/100, 2 combo + 2 SFP 24 PoE Ports (4 Ports 60W) 185W, 375W
 	SF352-08P 8 10/100 + 2 Gigabit combo PoE PSE and PD Port 62W		SF350-48 48 10/100 ports 2 Gigabit combo + 2 SFP
 	SF352-08MP 8 10/100 + 2 Gigabit combo PoE PSE and PD Port 128W		SF350-48P/48MP 48 10/100, 2 combo + 2 SFP 48 PoE Ports (8 Ports 60W) 382W, 740W

Cisco 350 Series Smart Switches

Model overview

Gigabit Ethernet


	SG350-10 8 Gigabit ports 2 Gigabit combo ports PD Port		SG350-28 24 Gigabit ports/PoE+ ports 2 Gigabit combo + 2 SFP
	SG350-10P/10MP 8 Gigabit ports/PoE+ ports 2 Gigabit combo ports PoE PD 62W, 124W Power Budget		SG350-28P/28MP 24 10/100/1000 2 Gigabit combo + 2 SFP 24 PoE Ports (4 Ports 60W) 195W, 382W
	SG355-10P 8 Gigabit ports/PoE+ ports 2 Gigabit combo ports PoE PD 62W Power Budget		SG350-28SFP 26 SFP Slots 2 Gigabit combo ports
	SG350-10SFP 8 SFP Slots 2 Gigabit combo ports		SG350-52 48 Gigabit ports 2 Gigabit combo + 2 SFP
	SG350-20 16 Gigabit ports 2 Gigabit combo + 2 SFP		SG350-52P/52MP 48 10/100/1000 2 Gigabit combo + 2 SFP 48 PoE Ports (8 Ports 60W) 375W, 740W

CISCO SmallBusiness Switching

Nové portfolio

	110/95 Series	220 Series	250 Series	350/350X Series	550X Series
Management	Unmanaged	Smart managed	Smart managed	Fully managed	Fully managed
Routing/switching	Layer 2	Layer 2	Layer 3 static	Layer 3 static	Layer 3 dynamic
Network ports	5 to 24 ports GE/FE	24 to 48 ports GE/FE	8 to 48 ports GE/FE	8 to 48 ports 10 GE/2.5 GE/GE/FE	16 to 48 ports 10 GE/GE/FE
Uplink ports	No	2x GE	2x GE/4x GE/4x 10 GE	4x GE/4x 10 GE	4x 10 GE
PoE	PoE	PoE+	PoE+, PoE input, PoE pass-through	PoE+, 60W PoE, PoE input, PoE pass-through	PoE+, 60W PoE
Stacking	No	No	No	350X Series only (4 units per stack)	Yes (8 units per stack)
Redundancy	No	No	No	No	Redundant power connector and built-in redundant fan
Security	No	802.1X basic, ACL support	802.1X basic, ACL support	802.1X including DVA, web-based authentication, MAB, Private VLAN, IPv6 First Hop Security, DAI, IP Source Guard, DHCP Snooping, ACL support, SCT (CoPP), SSD, storm control, DoS prevention	802.1X including DVA, web-based authentication, MAB, Private VLAN, IPv6 First Hop Security, DAI, IP Source Guard, DHCP Snooping, ACL support, SCT (CoPP), SSD, storm control, DoS prevention
Ease of use	Loop detection, cable diagnostics	FindIT	SNA, FindIT, Network PnP, Auto Smartports, VSDP, CAA	SNA, FindIT, Network PnP, Auto Smartports, VSDP, CAA	SNA, FindIT, Network PnP, Auto Smartports, VSDP, CAA
Warranty	Limited lifetime	Limited lifetime	Limited lifetime	Enhanced limited lifetime	Enhanced limited lifetime

CISCO SmallBusiness Switching



Příklad využití
portfolia SB

Creates a reliable
small business
local area network

Easily integrates with
data, voice, video, and
wireless products

Easy to use, with a consistent interface
across all Cisco
Small Business products



ATComputers

CISCO NEW MULTIPLATFORM PHONES

www.atcomp.cz

ATComputers


CISCO

Distribution
Partner

Why Cisco MPP?

- **Cisco Brand & Quality**
- **Advanced User Experience**
- **Intelligent Proximity (pairs mobile phones)**
- **Market leader in IP handsets, 1 Billion Dollars sold a year**
- **Complete CPE solutions from 1 vendor**
- **Broadsoft Partnership**
- **Cisco Capital Financing Solutions**
- **Leverage Enterprise Level Engineering**



CISCO NEW MULTIPLATFORM PHONES



SB x Enterprise

- Same BRAND
- Same LOOK&FEEL
- Same TECHNOLOGY
- Same SUPPORT

- Same QUALITY
- Same CUSTOMER EXPERIENCE



ATComputers

NEW 7832 Conference phone



Cisco IP Phone 7800 Series



CP-7811



CP-7821



CP-7841



CP-7861

	CP-7811	CP-7821	CP-7841	CP-7861
Display	384 x 106 Mono (3.28")	396 x 162 Backlit Mono (3.5")	396 x 162 Backlit Mono (3.5")	396 x 162 Backlit Mono (3.5")
Ethernet Switch	10 / 100	10 / 100	10 / 100 / 1000	10 / 100
Programmable Line Keys	1	2	4	16
Programmable Soft Keys	4	4	4	4
Headset Port	N/A	✓	✓	✓
USB Support (AUX)	N/A	✓	✓	✓
Full Duplex Speakerphone	Narrowband	✓	✓	✓
Wideband Audio	With WB Handset Accessory	✓	✓	✓
Power Class	1	1	1	1
Protocol	SIP	SIP	SIP	SIP
Removable Bezel	N/A	✓	✓	N/A

Cisco IP Phone 8800 Series



	CP-8811	CP-8841	CP-8845	CP-8851	CP-8861	CP-8871
Display	800 x 480 <u>Greyscale</u> (5")	800 x 480 WVGA (5")	800 x 480 WVGA (5")	800 x 480 WVGA (5")	800 x 480 WVGA (5")	800 x 480 WVGA (5")
Supports HD Video			✓			✓
Network Switch	10 / 100 / 1000	10 / 100 / 1000	10 / 100 / 1000	10 / 100 / 1000	10 / 100 / 1000	10 / 100 / 1000
Programmable Line Keys	5 x 5	5 x 5	5 x 5	5 x 5	5 x 5	5 x 5
Programmable Soft Keys	4	4	4	4	4	4
Headset Port (RJ9)	✓	✓	✓	✓	✓	✓
Bluetooth Support	✓	✓	✓	✓	✓	✓
Full Duplex Speakerphone	✓	✓	✓	✓	✓	✓
Wideband Audio	✓	✓	✓	✓	✓	✓
HD Voice (SBC)			✓	✓	✓	✓
Web Support				✓(2)	✓(3)	✓(3)
External Display					✓	✓
External Audio Port					✓	✓
Power Class	2	2	3	3	4	4
Protocol	SIP	SIP	SIP	SIP	SIP	SIP

CISCO NEW MULTIPLATFORM PHONES

- CP-7811-3PCC-K9=
- CP-7821-3PCC-K9=
- CP-7832-3PCC-K9=
- CP-7841-3PCC-K9=
- CP-7861-3PCC-K9=
- CP-8811-3PCC-K9=
- CP-8841-3PCC-K9=
- CP-8851-3PCC-K9=
- CP-8861-3PCC-K9=
- CP-BEKEM-3PCC=




Přehled portfolia



ATComputers

CISCO NEW MULTIPLATFORM PHONES

Vybírejte správně



CISCO ENTERPRISE NETWORKING

www.atcomp.cz

ATComputers



Distribution
Partner

CISCO Enterprise networking

- Security
- Wireless
- Switching
- Routing
- Smart Net Total Care
- Variabilita a možnost konfigurace

Veškeré konfigurace a informace k produktům na cisco@atcomp.cz



Portfolio na
vyžádání



ATComputers

CISCO MERA KI

www.atcomp.cz

ATComputers




Distribution
Partner

Cesta ke zjednodušení sítě



Tradiční síť



Síť jako služba = Cisco Meraki



Před 3 lety ...

15,000 zákazníků


100K zařízení, převážně wireless

Dnes

95,000 zákazníků (5X nárůst)

1.2M zařízení, tzv. full stack

Proč CLOUD?



Škálovatelné

- Neomezená propustnost, škálovatelné do jakékoli velikosti
- Možnost přidání jednoho zařízení i celé pobočky do pár minut

Spolehlivé

- Vysoce dostupný cloud s vícero datovými centry
- Nepřerušena funkčnost sítě, i v případě výpadku připojení do cloudu

Bezpečné

- Žádný uživatelský provoz neprochází skrz cloud
- Splňuje standardy HIPAA / PCI (certifikovaný Level 1)
- Bezpečnostní audity třetí stranou, denní testování propustnosti

Připravené pro budoucnost

- S každým firmwarem přicházejí nové funkce, které jsou řízeny zpětnou vazbou zákazníka
- Automatický firmware a bezpečnostní aktualizace (uživatelé nastavitelný čas aktualizace)

Evropský Cloud

- Meraki EU Cloud má umístěna datová centra v 3 lokalitách : Dublin, Mnichov, Frankfurt nad Mohanem
- Informace z managementu, data o používání sítě a informace o poloze uživatelů nikdy neopustí EU
- **Škálovatelné, bezpečné sítě, které jsou v souladu s EU regulacemi o ochraně osobních údajů**



Region ⓘ

North America
South America
✓ EMEA
APAC

Řešení All-in-one – Network as a Service (NaS)

Koncept Meraki =



Zařízení

+



Licence

1:1 poměr zařízení : licence

Varianty licencí:

1 letá, 3 letá, 5 letá, 7 letá, a 10 letá



Řešení založené na cloudu zahrnuje:

Centralizované řízení, kontrola a invertalizacace zařízení v síti

Vysoce kvalitní firmware a bezpečnostní aktualizace

Helpdesk, telefonická podpora a doživotní záruka (kromě venkovních APs)

Demo zdarma pro Vás



Registrace do MERAKI:

<https://meraki.cisco.com/webinars?ref=2avCEOY>

45 minut času, možnost představit řešení LIVE

Pohled do Meraki Dashboardu

CISCO Meraki

ORGANIZATION

ATComputers

NETWORK

ATC_DEMO_KIT

Network-wide

Security appliance

Switch

Wireless

Organization

Search Dashboard

Announcements

Help



gebauer@atcomp.cz

Clients

all for the last day

327.3 MB (↓ 155.1 MB, ↑ 172.2 MB)

Applications



More »

Policy

Forget

Search clients...


10 client devices

Add client

Download as


<input type="checkbox"/>	Status	Description	Policy	+
<input type="checkbox"/> 1	📶	d4:38:9c:05:1b:be	normal	
<input type="checkbox"/> 2	📶	SEP1C6A7AE1253D	normal	
<input type="checkbox"/> 3	📶	Lenka--iPhone	normal	36
<input type="checkbox"/> 4	📶	Daniel--iPhone	normal	1
<input type="checkbox"/> 5	📶	iPhone-Hupky	normal	33
<input type="checkbox"/> 6	📶	lickanb-w7	normal	


Viditelnost stohu v Dashboardu


[Switch stacks](#) > **More Horsemen** 


Overview **Manage members** Clone and replace member


Members (8)


Name: [Stack B 1st \(MS350\)](#) Blink LEDs:  Model: MS350-24-HW





Name: [Stack B 2nd \(MS350\)](#) Blink LEDs:  Model: MS350-48-HW



Name: [Stack B 3rd \(MS350\)](#) Blink LEDs:  Model: MS350-24P-HW



Name: [Stack B 4th \(MS350\)](#) Blink LEDs:  Model: MS350-48-HW





Síťová topologie – vizualizační nástroj

Network Topology

Search devices...

16 online

Label all devices.



Kompletní IT portfolio v cloudu

Kompletní cloudově spravovatelné portfolio

WIFI

Switche

Zařízení pro řešení bezpečnosti

Kamery

Telefony


Správa mobilních zařízení

Meraki je lídrem na trhu v Cloudové správě

Nejrychleji rostoucí portfolio ve značce CISCO

Více než 140,000 zákazníků

Více než 2 milliony Meraki zařízení online (bez MDM)



Bezdrátové přístupové body



Vlastnosti:

9 modelů pro vnitřní i venkovní pokrytí

Podpora 802.11n i 802.11ac Wave 1/Wave 2 standardu

Samostatné 3· radio pro WIPS v reálném čase



Air Marshal
WIPS



RF Optimization



CMX Location
Analytics



BYOD Policies
























Enterprise
Security























Traffic Shaping

Meraki MR indoor portfolio

Future-proof	MR53 	 4-streams	 160 MHz channels	 mGig + GbE uplinks	\$1,699	
High-density	MR52 	 4-streams	 160 MHz channels	 Dual-GbE uplinks	\$1,399	
General	MR42 	 3-streams	 80 MHz channels	 GbE uplink	\$1,099	
Entry-level	MR33 	 2-streams	 80 MHz channels	 GbE uplink	\$649	
Targeted	MR30 H 	 2-streams	 80 MHz channels	 GbE uplink	 4xGbE switch	\$599

Meraki MR outdoor portfolio

Future-proof	MR84		 4-streams MU-MIMO	 160 MHz channels	 mGig + GbE uplinks	 2.4/5 GHz + scan + BLE	\$2,399
General	MR72		 2-streams	 80 MHz channels	 GbE uplink	 2.4/5 GHz + scan + BLE	\$1,599
Entry-level	MR66		 2-streams	 40 MHz channels	 GbE uplink	 2.4/5 GHz	\$1,299
Entry-level	MR62		 2-streams	 20 MHz channels	 GbE uplink	 2.4 GHz	\$699

Switche



Vlastnosti

6 modelů

Layer 2 & Layer 3 přístupové & agregáční switche

Vysoká dostupnost, dynamické přepínání, podniková bezpečnost, QoS na podporu přenosu hlasu a videa



Virtual and physical Stacking



Layer 3 Scalability



Voice Optimization



QoS



Enterprise Security



Intuitive Reporting

Meraki Access Switching Portfolio

Compact

MS220-8

Starting at \$985



PoE+
Options

1G SFP
Uplinks

Branch

MS225

Starting at \$2,155



PoE+
Options

10G SFP+
Uplinks

80G
Stacking

Branch &
Campus

MS250

Starting at \$4,515



PoE+
Options

10G SFP+
Uplinks

80G
Stacking

Routing

Modular
Power

High
performance
Campus

MS350

Starting at \$5,675



PoE+
UPoE*

10G SFP+
Uplinks,
mGig

160G
Stacking

High
Performance
L3 routing

Modular
Power

Modular
fans

Meraki Aggregation Switching Portfolio

1G Aggregation

Small & Medium Campus

MS410

Starting at \$8,500



1G SFP links



10G SFP+ uplinks



Physical stacking



L3 Routing



Modular Power



Modular fans

10G Aggregation

Medium & Large Campus

MS425

Starting at \$14,000



10G SFP+ links



40G QSFP uplinks



Flexible stacking



High performance L3 routing



Deep packet buffers



Modular Power



Modular fans

Bezpečnostní brány



Vlastnosti

8 modelů vhodných od malých poboček do datacenter

Kompletní Unified Threat Management (UTM)

Vysoká dostupnost, 3G/4G & datacenter failover



Next-gen
Firewall



IDS/IPS



Content Filtering



Site-to-site VPN

Security Report



Intuitive
reporting



iWAN

Cisco Meraki WAN/UTM Portfolio



<p>Small Branch ~50 users 200 Mbps</p> <p>2 PoE+ ports, 8 LAN ports, 2 WAN ports</p> <p>Throughput 200 Mbps</p>	<p>Small Branch ~50 users 200 Mbps</p> <p>2 PoE+ ports, 8 LAN ports, 2 WAN ports</p> <p>Throughput 200 Mbps</p>	<p>Mid-sized Branches ~200 users ~500 users 300 Mbps 650 Mbps</p> <p>2x SFP ports</p> <p>1 TB Storage for Web Caching</p>	<p>Large Branches/Campus ~2,000 users ~10,000 users 2.5 Gbps 5 Gbps</p> <p>SFP (1 Gbps), and SFP+ (10 Gbps) interfaces</p> <p>MX400 1 TB Storage for Web Caching</p> <p>MX600 4 TB Storage for Web Caching</p>
---	---	---	--

Cisco Meraki MC 74V



- Prozatím pouze v USA
- **Plánovaný vstup do EU**
- Integrovaný v síti
- Správa v cloudu stejně jako celé sítě

Cisco Meraki MV Security Cameras

Indoor Camera: MV21 \$1.299

Outdoor Camera: MV71 \$1.499

- The only security camera from a cloud leader
- Simplified design for streamlined deployment
- Managed through the Meraki dashboard
- 128GB of solid state storage on each camera
- Up to 20 days of 24/7 continuous recording
- 3 year warranty



Cisco Meraki Systems Manager: Správa zařízení



Meraki Systems Manager

Cloud Managed Mobility Management



Flexible and simple to install
and manage



Centralised management of
100,000+ devices



Auto-tagging and dynamic
security



Seamless integration in
the network

Proč zvolit Meraki?

- Cloudová správa celé sítě
- Ucelené a přehledné portfolio
- Jednoduché licencování
- Úspora logistických nákladů
- Jednoduché ovládání
- Snadná rozšiřitelnost
- S řešením MERAKI může mít robustní a jednoduchou síť každý

Tipy na využití Meraki


- Malé střední podniky, kde správu zvládá 1člověk
- Zákazníci bez síťového specialisty, kteří se rozrůstají
- StarUPy
- Dynamické společnosti, kde dochází k neustálým změnám velikosti, struktury
- Korporace
- Zákazníci s rozvětvenou pobočkovou sítí
- Obchody, kde lze využít analytiku k monitoringu

Další informace – cisco@atcomp.cz

Risk-free evaluation
meraki.cisco.com/eval


Check out our website & blog
meraki.cisco.com/blog

Contact your Meraki rep
meraki.cisco.com/contact



CISCO COLLABORATION

www.atcomp.cz



ATComputers



Co uživatelé v zasedačce očekávají?







Cisco SparkBoard



Hi Mona
Tap the touch panel
or start an activity from Spark



Cisco Spark Room Kit

Cisco Spark Room Kit




Cisco Spark Room Kit

Stavebnice, kterou zvládne každý



Touch controller




Power adapter for Touch controller



Network cable, flat,
for Touch controller
8 m / 26.2 ft



Mediabar



Power adapter for mediabar



HDMI cable 1.5 m / 4.9 ft



2 x Network cables, round
5 m / 16.4 ft



Screen mount



Wall mount bar




2 x wall bracket

Accessories (ordered separately)

- 2 x Cisco TelePresence Table Mic 20
- 2 x Microphone extension cable
- HDMI second monitor cable 1.5 m / 4.9 ft
- HDMI presentation cable 8 m / 26.2 ft
- Cisco TelePresence Ceiling Mic

Jednoduchá a rychlá instalace



Cisco Spark Room Kit

Technická specifikace



Optimalizované audio prostředí



- **Vestavěné reproduktory**
- **Vestavěné mikrofony**

Inteligentní záběr účastníků schůzky

Best OverView



1. Auto-detekce osob v místnosti



2. Volba vhodného záběru účastníků

Inteligentní záběr účastníků schůzky

Speaker Track



1. Detekce mluvčí osoby





2. Volba vhodného záběru mluvčího

Audio distance: 1.90 Quality: 0.58 Far end: 0

F: 0.0% T: 86.4% U: 0.0% N: 0.0% S: 235

People count: 6





John



Alicia



Addy



Rui





Andre



Dyan

Místnost je prázdná a
systém ve standby
režimu



Standby



Auto-wake experience

Vstoupíte do místnosti a
zobrazí se uvítání

Half wake pozdrav



Auto-wake experience

Obrazovka se automaticky
přepne do interaktivního
modu

Half wake průvodce




Kde mohu začít?
Zde se stačí
dotknout?


Auto-wake experience

Dotykem se obrazovka rozjasní a na panelu se objeví další možné aktivity

Awake



Co teď?




Auto-wake experience



Pokud otevřete jednotlivé aktivity, dostanete kontextovou nápovědu

Contextual průvodce



Jak mohu postupovat dále?

Auto-wake experience

Otázky?

www.atcomp.cz

ATComputers



Děkujeme za pozornost